



KINGBERRY LIFE SCIENCES

puts life into life



For Effective Control of Cold in Afebrile Children



Rx **Biminic**

Each 5ml contains:

Phenylephrine HCl IP 5 mg
Chlorpheniramine maleate IP 2 mg
Flavoured syrup base

Phenylephrine act as Powerful nasal Decongestant
Chlorpheniramine act as Powerful H1 Antagonist

For Effective Relief from :

- Running Nose Stuffy Nose
- Itchy Nose or Throat Repeated Sneezing
- Nasal & Sinus Congestion

Acute Rhinitis

Sinusitis

Seasonal Allergic Rhinitis

Nasal congestion



Calcidence-60K

Cholecalciferol(Vit.D3)-60000 IU

Sachets

Restores Vitamin D levels

Maintains calcium balance

Improves skeletal muscle strength

Meets immediate calcium deficiency

Enhances calcium absorption & calcium reuptake

Fracture

Diabetes

Hypovitaminosis

Osteoporosis

Chronic Kidney Disease

Coronary Heart Disease



**Increase The Bone
Density With
Confidence**

CALCIDENCE

Calcium Citrate ,Vitamin D3 ,Zinc Tablets

- **Calcium Citrate**

Best Calcium Salt with Maximum bioavailability
Increases Bone Mineral Density

- **Vitamin D3 - 1000**

Helps For Maximum Calcium Absorbtion

- **Zinc - 4mg**

Zinc deficiency result in impaired DNA synthesis and protein metabolism,which lead to negative effect on bone formation

● **Pregnancy** ● **Post Menopausal Osteoporosis** ● **Hypocalcemia**



DISMIS

Ayurvedic Anti Diarrhoeal & Carminative syrup

**Dismiss the discomfort of dyspepsia
& diarrhoea with DISMIS SYRUP**

Contains 10 powerful herbal ingredients

- **Potent anti-diarrhoeal properties**
- **Relieves abdominal spasm**
- **Exhibits astringent & carminative effect**
- **Effective anti-inflammatory properties**



Bael

The presence of tannin in the bael fruit helps in curing diseases like diarrhoea and cholera. The dried powder of the fruit is used to treat chronic diarrhoea



Dalimb

Studies have shown that dalimb can reduce inflammatory activity in the digestive tract



Saunf

The carminative property of fennel makes it a good antifatulent. Saunf triggers the secretion of digestive juices and enzymes



Ajwain

Ajwain seed extract may also help prevent and treat gas and chronic indigestion



Jaiphal

It is used for treating colic, indigestion, loose motion, gas, nausea, rheumatism, etc



Ativish

As per Charaka Samhita, Ativisha or Atis is the best herb for digestion, carminative action



Kutij

It is one of the best drugs for diarrhoea. In chronic diarrhoea & to check blood coming from stool. Kutaj bark with sunthi checks mucus & blood



Suntha

The ability to soothe inflammation in the gut. Re-balance acidity levels & the bacterial environment of stomach for better digestion and nutrient uptake efficiency



Lodhra

Due to its Grahi (absorption enhancing) property, it is used in clotting and in diseases like diarrhoea



Daruhaldi

Cure stomach infections. Piles (Bawasir), Ulcerative Colitis, Duodenal Ulcer, Infection in intestine

When Movments Gets Stuck Due To Pain




ETCOX-90

Etoricoxib IP 90 mg

- It is used to reduce pain and swelling in individuals with autoimmune joint inflammation
- It is used to manage moderate pain, such as dental pain or post- surgical pain.
- Rheumatoid Arthritis.
- Osteoarthritis
- Ankylosing Spondylitis.
- Acute Pain.





**CLINICAL
RELIEF OF
COUGH**

EXCOF

**Ambroxol 15mg + Terbutaline 1.25mg+ Guaiphenesin 50mg
Menthol 2.5mg SYRUP**

AMBROXOL

Surfactant stimulatory, anti-inflammatory & antioxidant shows mucokinetic effects & increases the clearance of mucus in small airways

TERBUTALINE

Expectorant & mucolytic improves mucociliary clearance relieves chest & congestion associated with acute upper RTis

GUAIPHENESIN

Antitussive effect & bronchodiator improves peak expiratory flow rates & dilated the airways

MENTHOL

Anti-lussive reduces cough reflex sensitivity

Bronchitis

Bronchial Asthma

In Respiratory Diseases Associated with Excessive Mucus Production

FLUMINAC -600

N-Acetyl L-Cysteine Effervescent Tablets

An Effective Antioxidant Mucolytic Therapy

- 🌿 N-Acetylcysteine is a mucolytic
- 🌿 Is the N-Acetyl derivative of the natural amino acid. L-Cysteine
- 🌿 Reduces the viscosity of bronchial mucus
(by the depolymerization with the disulfide bridges between the macromolecules in the mucus being opened)
- 🌿 In addition, it is a precursor of glutathione; is able to normalise a state of glutathione depletion, it is able to conjugate with various toxic compounds

A mucolytic agent in

Bronchitis

Mucovsidoses

Emphysema

Bronchiectases

Also Available

FLUMINAC-200

N-Acetyl L-Cysteine Effervescent Tablets

**FEED THE POWER
OF RED
TO STARVED RBCs**



HB root

**Ferrous Bisglycinate 60mg + Zinc Bisglycinate 15mg +
Folic Acid 1.5mg+ Methycoblamín 500mcg**

Ferrous Bisglycinate

- Chelated form of Iron
- Easily absorbed in small intestine just like amino acids
- No GI Irritation like other forms of Iron

Zinc Bisglycinate

- Chelated form of zinc
- Essential trace element
- Enhances WBC productions
- Acts as skin & wound healing agent

Methylcobalamin

- Naturally occurring form of Vitamin B12
- Taken to regulate certain important body functions

Folic Acid

- Helps erythroblasts for proliferation thus maintains erythropoiesis

● **Anaemia**

● **Pregnancy And Lactation**

● **Menstruation**

● **Menarche And Menopause**



HB root

**Ferrous Bisglycinate 60mg + Zinc Bisglycinate 15mg +
Folic Acid 1.5mg+ Methycoblamín 500mcg**

Ferrous Bisglycinate

- Chelated form of Iron
- Easily absorbed in small intestine just like amino acids
- No GI Irritation like other forms of Iron

Zinc Bisglycinate

- Chelated form of zinc
- Enhances WBC productions
- Essential trace element
- Acts as skin & wound healing agent

Methylcobalamin

- Naturally occurring form of Vitamin B12
- Taken to regulate certain important body functions

Folic Acid

- Helps erythroblasts for proliferation thus maintains erythropoiesis

- | | |
|-------------------------------|-------------------------------|
| ● Fatigue | ● Metabolic Disease |
| ● Iron Deficiency Anaemia | ● Dietary Insufficiency |
| ● Post-Surgical Convalescence | ● Chronic or Acute blood Loss |



LACTZYME

Lactase enzyme Drops

Approved By ACBS-UK & GRAS-US For The Managment Of Infact Colic

- 💧 **100 % Infacts Showed Relief**
- 💧 **Profound Reduction In Abdominal Pain**
- 💧 **Significant Reduction In Breath H₂ Levels**
- 💧 **Significantly Reduce The Mean Hours Of Crying**
- 💧 **Reduces The Lactose-Load Of Baby's Feed By Upto 70%**
- 💧 **Suitable Both For Babies Who Are Breast Fed Or Bottle Fed**
- 💧 **Reduce Digestive Discomforts Like Bloating, Flatulenece & Gripping**

D 4 Drops per feed(at room temp) until 3-4 months of age
O Thereafter,2 drops per feed for few days.
S
A Gradually reduce frequency to alternate feed,followed by
G
E 1 feed per day,before withdrawal



LACTZYME

Lactase enzyme Drops

Lactose Intolerance

40 % of infants colic is due to Lactose Intolerance

-  ***1 Out of 5 Infants Cry Due To Lactose Intolerance***
-  ***Loose Stools & Gas***
-  ***Watery Diarrhea With Gas***
-  ***Abdominal Pain & Cramping***
-  ***Lactose Intolerant Babies***
Have Higher Level of H_2 In Their Breath



Mi-Pm

Mefenamic Acid 50mg + Paracetamol 125mg Suspension

A stronger antipyretic effect

2.5 times stronger antipyretic than PCM

An additional neuroprotective superiority

Exerts protective effect on oxidative stress

(due to fever, inflammation & pain) induced neurotoxicity

Safe & well-tolerated

Both paracetamol & mefenamic acid are safe
and well tolerated

Also Available
Mi-Pm DS

Mefenamic Acid 100mg + Paracetamol 250mg Suspension

Pyrexia

Teething Pain

Spasmodic Pain

Minor Bruises, Cuts & Injuries



Just **ONE** Is Enough
In Uncomplicated
Lower UTI

MONOFOS

Powder of Fosfomycin Trometamol, equivalent to Fosfomycin 3g

Cystitis

Asymptomatic Bacteriuria during pregnancy

Urethritis

In pregnant patients, Fosfomycin trometamol was the first-choice antibiotic for the treatment of uncomplicated UTI

Favourable Safety Profile



- Safer during pregnancy
- No adverse effects reported in foetus or newborn child

DOSAGE :

1
One Time
One Dose

Uncomplicated Lower UTI

in women above 12 years of age

A Single MONOFOS Sachet

Content of one sachet to be dissolved in sufficient amount of water. To be taken at least 2 hours after meal, at bed time, after emptying the bladder

Follow the
rule of 3
For recurrent
UTI

3

3 Grams MONOFOS sachet

3 Times a Month

One sachet every 10 days

3 Months

Safety has been established for six months



When Your Patient In Allergic Rhinitis

Montiroot AM

**Levocetirizine Dihydrochloride I.P. 5mg + Montekulast Sodium I.P. 10mg +
Ambroxol HCL I.P. 75mg (S.R.)**

LEVOCETIRIZINE:

- Potent antihistaminic and anti-inflammatory agent
- Free from sedative effects
- Provide better protection than desloratadine against nasal allergy

MONTELUKAST:

- Potent, specific leukotriene receptor antagonist
- Relives the stuffy runny nose & sneezing caused by allergies both seasonal & perennial

AMBROXOL:

- Mucolytic agent that decreases mucus viscosity.
- Reduces difficult breathing & allow re-establishment of bronchioles and alveoli

Seasonal / Perennial Allergic Rhinitis

Fever

Sinus & Nasal Congestion

Sneezing & Nasal Irritation



MONTIROOT-KID

Levocetirizine Dihydrochloride 2.5mg + Montelukast Sodium 4mg

**SAFE & PROVEN FORMULA TO
TREAT & PREVENT ALLERGIC REACTIONS IN KIDS**

For persistent Allergic Rhinitis, the combination of montelukast and levocetirizine is more effective than monotherapy

Indications:

- Perennial Allergic Rhinitis
- Extrinsic Asthma
- Seasonal Allergic Rhinitis
- Acute allergic reactions
- Chronic idiopathic urticaria
- Allergic Dermatitis
- Skin Rashes
- Atopic Eczema



MONTIROOT

Levocetirizine 5 mg + Montelukast 10 mg Tablets

LEVOCETRIZINE

Potent antihistaminic and anti-inflammatory agents
Free from sedative effects

MONTELUKAST

Relieves the stuffy, runny nose & sneezing caused by allergic both seasonal & perennial

- Perennial Allergic Rhinitis
- Extrinsic Asthma
- Seasonal Allergic Rhinitis
- Acute Allergic Reactions
- Chronic Idiopathic Urticaria
- Allergic Dermatitis
- Skin Rashes
- Atopic Eczema

First Line Treatment in PMS



PYRI-SR 100

Tablets of Pyridoxine HCL 100mg in Sustain Release Technology
Comprehensive Relief from PMS

Reduces Psychological Symptoms

- 77% Irritability
- 78% Lethargy
- 80% Depression

Relieves Physical Symptoms

- 70% Mastodynia
- 79% Oedema
- 87% Headache

Pyridoxine inhibited lactation successfully

Dosage:

In O.C. Induced Depression


Once daily with oral contraceptives

In PMS

Just one tablet a day 7 days before
till 3 days after the onset of menstruation

• Safer • Effective • Convenient

The Natural, Non-Hormonal Therapy for PMS



In the management of elderly Patient

PYRI-SR 100

Tablets of Pyridoxine HCL 100mg in Sustain Release Technology

- TB drug induced Vit B6 deficiency
- Diabetic neuropathyc pain
- Palm sweating
- Maintain health of nerves & red blood cells
- Maintain skin health
- Peripheral neuropathy induced by medication like isoniazid
- Alcoholism, liver disease, over active thyroid & heart failure can cause law level of Vit B6

• Safer • Effective • Convenient

**FOR DAY 'N' NIGHT
ACID CONTROL**



RABOOT-D

Rabeprazole + Domperidone

THE 2 WAY SOLUTION

In acidity coupled with retarded GI motility

Rabeprazole

Higher Healing Rates in Ulcers

Domperidone

Increases pressure on LES
and controls gut motility

APD Associated With Nausea

GERD/Reflux Esophagitis

Durg Induced Gastritis



The simplest way to
control Nausea &
Vomiting.....

VOMBERRY-MD

Ondansetron IP 4mg

In Nausea & Vomiting Due to:

Chemotherapy

After Surgery

Radiotherapy

Anaesthesia

G. I. Infections

Gastric Dysmotility

Morning Sickness

100 Times More Potent Than
Metocloperamide Devoid Of
Extrapyramidal Side Effects
Safe & Well Tolerated In
Adults & Children





**KINGBERRY
LIFE SCIENCES**
puts life into life

Dismis®

Ayurvedic, Anti-Diarrhoeal

ETCOX 90

Etoricoxib 90mg

CALCIDENCE™

Calcium+Zn+Vit.D3

Excof Syrup

Ambroxol + Terbutaline +
Guaiphenesin + Menthol

Biminic

Mefenemic Acid+ Paracetamol

Mi-Pm/DS

Suspension

Phenylephrine +
Chlorpheniramine

LACTZYME

Lactase Enzyme 600 IU Drops

RABROOT-D

Rabeprazole+Domperidone

MONOFOS

Fosfomycin

VOMBERRY-MD

Ondansetron IP 4mg

Montiroot

Levocetirizine+Montelukast

Montiroot-Kid

Levocetirizine+Montelukast

Montiroot AM

Levocetirizine Dihydrochloride I.P. 5mg +
Montekulast Sodium I.P. 10mg +
Ambroxol HCL I.P. 75mg (S.R.)

PYRI SR 100

Pyridoxine HCL 100mg

HBROOT

Ferrous Bisglycinate 60mg +
Zinc Bisglycinate 15mg +
Folic Acid 1.5mg+ Methycobblamin 500mcg

FLUMINAC -600

N-Acetyl L-Cysteine Effervescent Tablets

For any further assistance with product information or our team
will be glad to help

Contact

Name : Ashok Bavalekar / Digvijay Bavalekar

Email : info@kingberrylifesciences.com

Website : kingberrylifesciences.com